



NOTES TO TIMBER DECK:
 Open slatted timber decking to be installed by specialist.
 Suitable floor boarding +/- 22mm thick on 152mm x 38mm joists @ +/- 450mm centers on 152mm x 52mm bearers supported on 100sqmm timber posts in concrete mix base for anchorage of deck.
 1000mm high balustrade to owners spec to comply with SANS 10400 - M - at no time to permit passage of 100mm dia ball through spacings.
 All timber to be treated

NEIGHBOURS CONSENT

NAME:
 ADDRESS:
 SIGNATURE:

ALLISON'S DRAWING OFFICE
 Architectural Plan Service
ALLISON WEST
 PrSArchT
 St0030
 MSAIBD

7 Frara Drive Pinetown 3610 Tel: 031- 701 2743 Fax 031- 701 2743

PROPOSED CONVERSION OF EXISTING GARAGES TO ANCILLARY UNIT AND PROPOSED DOUBLE GARAGE ON:

ERF 1719 KLOOF (EXTENSION NO: 7)
P.N. 22 PIONEER ROAD KLOOF

FOR: R.A. DRUMMOND

CLASSIFICATION H4
 OWNERS SIGNATURE:

SCALES : AS SHOWN ON PLAN
 DATE : 08 / 09 / 2011
 DRAWN BY : WESLEY VAN Vollenhoven
 CHECKED BY : A. WEST

